

复

1.

复

2.

复

3.

复

4.

复

1

:

。

复

1

2

3

4

复

2

。

复

1

。

2

。

3

4

复

3

/

。

/

复

1

2

3

4

三

复

4

。

复

1

2

3

4

复

5

。

复

1

2

3

三

复

6

。

复

1

2

。复

7

。

复

1

2

复

8

复

1

2

3

复

9

复

1

2

3

复

10

。

复

复

1

2

3

复

复

11

复

1

2

3
12
1
2
13

复
复
复
复
三

。
复

复

2 AUTOCAD 三 复

复

复

复

复

1.

			60	35.3%	1076
			14	8.2%	224
			74	43.5%	1300
			31.5	18.5%	504
			3	1.8%	48
			34.5	20.3%	552
			10	5.9%	160
			8	4.7%	128
			18	10.6%	288
				126.5	74.4%
()			34.5	20.3%	144+27w
			3	1.8%	3w
			37.5	22.1%	144+30 w
			6	3.5%	6 w
			170	100.0%	2284+36 w

136

34 复

2.

26.5

15.6%

61.5

36.2%

34

20%

48

28.2%

				图						
		1	2	3	4	5	6		7	8
		16w	19w	17w	18w	16w	19w	14w	119w	
		3w							3w	
	()1			2w					2w	
	(VB)				1w				1w	
						1w			1w	
						1w			1w	
						1w			1w	
								2w	2w	
								1w	1w	
								2w	2 w	
									3w	3w
		()							12w	12w
/		1w	1w	1w	1w	1w	1w	1w	9w	
		20w	20w	20w	20w	20w	20w	20w	16w	156w

				图						
		1	2	3	4	5	6		7	8
		18.5	26	23.2	25	15.2	15.5	9.1	0	132.5
		2	1.3	3.5	3.8	4	2.2	5.5	15.2	37.5
		20.5	27.3	26.7	28.8	19.2	17.7	14.6	15.2	170

1. 14 6 1-6 3 7 2

复

2. /

复